




HIGH-TENSILE






























HIGH-TENSILE



HIGH-TENSILE						KEY
METRIC SAMPSONROD® 1m & 3m AS88GCM HDG DIN 975 CLASS 8.8	METRIC FOUNDATION STUD AS88GCM HDG DIN 975 CLASS 8.8	METRIC FINE SAMPSONROD® AS88GFM HDG DIN 975 CLASS 8.8	METRIC SAMPSONROD® 1m & 3m AS88PCM PLN DIN 975 CLASS 8.8	METRIC FINE SAMPSONROD® AS88PFM PLN DIN 975 CLASS 8.8	METRIC SAMPSONROD® 1m & 3m AS88YCM ZYP DIN 975 CLASS 8.8	PLN PLAIN
UNC SAMPSONROD® 3ft ASG5GC HDG IFI 136C GRADE 5	UNC SAMPSONROD® 3ft ASG5PC PLN IFI 136C GRADE 5	UNF SAMPSONROD® 3ft ASG5PF PLN IFI 136C GRADE 5	BSF SAMPSONROD® 3ft ASG5PS PLN AS 3501 GRADE 5	UN8 SAMPSONROD® 3ft ASG5PU PLN IFI 136C GRADE 5	BSW SAMPSONROD® 3ft ASG5PW PLN AS 3501 GRADE 5	Z/P ZINC PLATED (RoHS COMPLIANT)
METRIC HOBROD™ 1m AS10PCM PLN DIN 975 CLASS 10.9	UNC HOBROD™ 3ft ASG8PC PLN IFI 136C GRADE 8	METRIC HEX COUPLER AXHC08GCM HDG HEC CLASS 8	NEW METRIC FLANGED BOLT D-L®K SERRATED BF12FCM ZFS HEC CLASS 12.9			MGAL MECHANICAL GALVANISED
NEW METRIC FLANGED HEX BOLT SERRATED BF88ZECM Z/P HEC 1665 CLASS 8.8	METRIC FINE FLANGED HEX BOLT SERRATED BF88Y6FM ZYP DIN 6921 CLASS 8.8	METRIC FLANGED HEX BOLT SERRATED BF88ZCM Z/P DIN 6921 CLASS 8.8	METRIC FLANGED HEX BOLT NO SERRATIONS BF10PCM PLN HEC 6921 CLASS 10.9	METRIC FLANGED HEX BOLT NO SERRATIONS BF88YCM ZYP JIS B1189 Type 2 CLASS 8.8	METRIC FINE FLANGED HEX BOLT NO SERRATIONS BF88YFM ZYP JIS B1189 Type 2 CLASS 8.8	ZYP ZINC YELLOW PASSIVATE
NEW METRIC FLANGED HEX BOLT NO SERRATIONS BF88GJNCM HDG JIS B1189 Type 2 CLASS 8.8	D-L®K Serrations to LOCK and clamp the connection.					ZFS ZINC FLAKE SILVER
ALLOY ALLOY STEEL						





<p>PURLIN HEX 2 WASHER BOLT & NUT</p>  <p>KBHHTGCM</p> <p>HDG HEC CLASS 8.8</p>	<p>PURLIN HEX 2 WASHER BOLT & NUT</p>  <p>KBHHTZCM</p> <p>Z/P HEC CLASS 8.8</p>	<p>PURLIN HEX FLANGE BOLT & NUT</p>  <p>KBFHTGCM</p> <p>HDG HEC CLASS 8.8</p>	<p>PURLIN HEX FLANGE BOLT & NUT</p>  <p>KBFHTZCM</p> <p>Z/P HEC CLASS 8.8</p>	<p>METRIC FASCIA BOLT & NUT</p>  <p>KBIHTGCM</p> <p>HDG HEC CLASS 8.8</p>	<p>TRAILER ADJUSTER BOLT ASSEMBLY</p>  <p>KBS88GQM</p> <p>HDG HEC CLASS 8.8</p>	
<p>HEX BOLT BLANK</p>  <p>BH10PBM</p> <p>PLN AS 1110.1 CLASS 10.9</p>	<p>METRIC HEX SET SCREW</p>  <p>BS88GCM</p> <p>HDG AS 1110.2 CLASS 8.8</p>	<p>METRIC HEX SET SCREW</p>  <p>BS88ZCM</p> <p>Z/P AS 1110.2 CLASS 8.8</p>	<p>METRIC HEX SET SCREW</p>  <p>BS88PCM</p> <p>PLN AS 1110.2 CLASS 8.8</p>	<p>METRIC HEX BOLT</p>  <p>BH88GCM</p> <p>HDG AS 1110.1 CLASS 8.8</p>	<p>METRIC HEX BOLT</p>  <p>BH88PCM</p> <p>PLN AS 1110.1 CLASS 8.8</p>	<p>METRIC HEX BOLT</p>  <p>BH88ZCM</p> <p>Z/P AS 1110.1 CLASS 8.8</p>
<p>METRIC HEX BOLT & NUT</p>  <p>KBH88GCM</p> <p>HDG AS 1110.1 CLASS 8.8</p>	<p>METRIC HEX BOLT & NUT</p>  <p>KBH88ZCM</p> <p>Z/P AS 1110.1 CLASS 8.8</p>	<p>METRIC HEX BOLT & NUT</p>  <p>KBH88PCM</p> <p>PLN AS 1110.1 CLASS 8.8</p>	<p>METRIC FINE HEX SET SCREW</p>  <p>BS88ZFM</p> <p>Z/P AS 1110.2 CLASS 8.8</p> <p>FINE THREAD</p>	<p>METRIC FINE HEX SET SCREW</p>  <p>BS88PFM</p> <p>PLN AS 1110.2 CLASS 8.8</p> <p>FINE THREAD</p>	<p>METRIC FINE HEX BOLT</p>  <p>BH88ZFM</p> <p>Z/P AS 1110.1 CLASS 8.8</p> <p>FINE THREAD</p>	<p>METRIC FINE HEX BOLT</p>  <p>BH88PFM</p> <p>PLN AS 1110.1 CLASS 8.8</p> <p>FINE THREAD</p>
<p>NEW METRIC HEX SET SCREW</p>  <p>BS10ZCM</p> <p>Z/P AS 1110.2 CLASS 10.9</p>	<p>NEW METRIC HEX SET SCREW</p>  <p>BS10PCM</p> <p>PLN AS 1110.2 CLASS 10.9</p>	<p>NEW METRIC HEX SET SCREW</p>  <p>BS10FCM</p> <p>ZFS AS 1110.2 CLASS 10.9</p>	<p>NEW METRIC FINE HEX SET SCREW</p>  <p>BS10ZFM</p> <p>Z/P AS 1110.2 CLASS 10.9</p> <p>FINE THREAD</p>	<p>NEW METRIC FINE HEX SET SCREW</p>  <p>BS10PFM</p> <p>PLN AS 1110.2 CLASS 10.9</p> <p>FINE THREAD</p>	<p>METRIC HEX BOLT</p>  <p>BH10ZCM</p> <p>Z/P AS 1110.1 CLASS 10.9</p>	<p>METRIC HEX BOLT</p>  <p>BH10PCM</p> <p>PLN AS 1110.1 CLASS 10.9</p>



METRIC FINE HEX BOLT BH10ZFM Z/P AS 1110.1 CLASS 10.9	NEW METRIC HEX BOLT BH10FCM ZFS AS1110.1 CLASS 10.9	NEW METRIC FINE HEX BOLT BH10PFM PLN AS1110.1 CLASS 10.9	UNC HEX SET SCREW BSG5ZC Z/P AS 2465 GRADE 5
UNC HEX SET SCREW BSG5PC PLN AS 2465 GRADE 5	UNC HEX BOLT BHG5ZC Z/P AS 2465 GRADE 5	UNC HEX BOLT BHG5PC PLN AS 2465 GRADE 5	UNC HEX BOLT & NUT KBHG5PC PLN AS 2465 GRADE 5
UNF HEX SET SCREW BSG5ZF Z/P AS 2465 GRADE 5	UNF HEX SET SCREW BSG5PF PLN AS 2465 GRADE 5	UNF HEX BOLT BHG5ZF Z/P AS 2465 GRADE 5	UNF HEX BOLT BHG5PF PLN AS 2465 GRADE 5
UNC HEX SET SCREW BSG8ZC Z/P AS 2465 GRADE 8	UNC HEX SET SCREW BSG8PC PLN AS 2465 GRADE 8	UNC HEX BOLT BHG8FC ZFS AS 2465 GRADE 8	UNC HEX BOLT BHG8ZC Z/P AS 2465 GRADE 8

Bolt Terminology






<p>UNC HEX BOLT</p> <p>BHG8PC</p> <p>PLN AS 2465 GRADE 8</p>	<p>UNC HEX BOLT & NUT</p> <p>KBHG8ZC</p> <p>Z/P AS 2465 GRADE 8</p>	<p>UNC HEX BOLT & NUT</p> <p>KBHG8PC</p> <p>PLN AS 2465 GRADE 8</p>	<p>UNF HEX SET SCREW</p> <p>BSG8ZF</p> <p>Z/P AS 2465 GRADE 8</p>	<p>UNF HEX SET SCREW</p> <p>BSG8PF</p> <p>PLN AS 2465 GRADE 8</p>	<p>UNF HEX BOLT</p> <p>BHG8FF</p> <p>ZFS AS 2465 GRADE 8</p>	<p>UNF HEX BOLT</p> <p>BHG8ZF</p> <p>Z/P AS 2465 GRADE 8</p>
<p>UNF HEX BOLT</p> <p>BHG8PF</p> <p>PLN AS 2465 GRADE 8</p>	<p>FISHBOLT & NUT</p> <p>DBD88PCM</p> <p>PLN AS 1085.4 CLASS 8.8</p>	<p>FISHBOLT NUT & SPRING WASHER</p> <p>DBD88PSM</p> <p>PLN AS1085.4/7 CLASS 8.8</p>	<p>NEW METRIC CUP HEAD BOLT & NUT</p> <p>KBC88GCM</p> <p>HDG AS 1390 CLASS 8.8</p>	<p>NEW METRIC CUP HEAD BOLT & NUT</p> <p>KBC10ZCM</p> <p>Z/P AS 1390 CLASS 10.9</p>	<p>NEW UNC CUP HEAD BOLT & NUT</p> <p>KBCG8ZC</p> <p>Z/P ASME B18.5 GRADE 8</p>	<p>NEW SEMS HEX BOLT FLAT WASHER</p> <p>LRBH88ZCM</p> <p>Z/P AS1110.1 CLASS 8.8</p>
<p>NEW HEX FLANGE NUT D-L[®]K</p> <p>SERRATED</p> <p>NF12FCM</p> <p>ZFS HEC CLASS 12</p>	<p>D-L[®]K</p> <p>Serrations to LOCK and clamp the connection.</p>		<p>NEW METRIC HEX FLANGE NUT</p> <p>NO SERRATIONS</p> <p>NF08GJNCM</p> <p>HDG JIS B1190 CLASS 8</p>	<p>NEW METRIC HEX FLANGE NUT</p> <p>SERRATED</p> <p>NF08YJCM</p> <p>ZYP JIS B1190 CLASS 8</p>	<p>NEW METRIC FINE HEX FLANGE NUT</p> <p>SERRATED</p> <p>NF08YJFM</p> <p>ZYP JIS B1190 CLASS 8</p>	<p>METRIC HEX FLANGE NUT</p> <p>SERRATED</p> <p>NF08GCM</p> <p>HDG ISO 4161 CLASS 8</p>
<p>METRIC HEX FLANGE NUT</p> <p>SERRATED</p> <p>NF08ZCM</p> <p>Z/P ISO 4161 CLASS 8</p>	<p>METRIC HEX FLANGE NUT</p> <p>SERRATED</p> <p>NF08YCM</p> <p>ZYP ISO 4161 CLASS 8</p>	<p>METRIC FINE HEX FLANGE NUT</p> <p>SERRATED</p> <p>NF08YFM</p> <p>ZYP ISO 4161 CLASS 8</p>	<p>NEW METRIC HEX FLANGE NUT</p> <p>NO SERRATIONS</p> <p>NF08G6NCM</p> <p>HDG DIN 6923 CLASS 8</p>	<p>NEW METRIC HEX FLANGE NUT</p> <p>NO SERRATIONS</p> <p>NF08Z6NCM</p> <p>Z/P DIN 6923 CLASS 8</p>	<p>METRIC HEX FLANGE NUT</p> <p>SERRATED</p> <p>NF10PCM</p> <p>PLN ISO 4161 CLASS 10</p>	<p>METRIC HEX FLANGE NUT</p> <p>NO SERRATIONS</p> <p>NF10PPM</p> <p>PLN ISO 4161 CLASS 10</p>


























HIGH-TENSILE



<p>NEW METRIC HEX FLANGE NUT NYLOC</p> <p>NO SERRATIONS</p>  <p>NF08ZNNCM</p> <p>Z/P DIN 6926 CLASS 8</p>	<p>METRIC HEX FLANGE NUT NYLOC</p> <p>NO SERRATIONS</p>  <p>NF10YNM</p> <p>ZYP HEC CLASS 10</p>	<p>UNC HEX FLANGE NUT</p> <p>SERRATED</p>  <p>NFG5YC</p> <p>ZYP IFI 145 / B18 2.2 GRADE 5</p>	<p>UNF HEX FLANGE NUT</p> <p>SERRATED</p>  <p>NFG8PF</p> <p>PLN IFI 145 / B18 2.2 GRADE 8</p>	<p>UNC HEX FLANGE NUT</p> <p>SERRATED</p>  <p>NFG8ZC</p> <p>Z/P IFI 145 / B18 2.2 GRADE 8</p>	<p>UNF HEX FLANGE NUT</p> <p>SERRATED</p>  <p>NFG8ZF</p> <p>Z/P IFI 145 / B18 2.2 GRADE 8</p>	<p>METRIC HEX NUT</p>  <p>NH08GCM</p> <p>HDG AS 1112.1 CLASS 8</p>
<p>METRIC HEX NUT LEFT HAND</p>  <p>NH08GDM</p> <p>HDG AS 1112.1 CLASS 8</p>	<p>METRIC HEX NUT</p>  <p>NH08PCM</p> <p>PLN AS 1112.1 CLASS 8</p>	<p>METRIC FINE HEX NUT</p>  <p>NH08PFM</p> <p>PLN AS 1112.1 CLASS 8</p>	<p>METRIC HEX NUT</p>  <p>NH08ZCM</p> <p>Z/P AS 1112.1 CLASS 8</p>	<p>METRIC FINE HEX NUT</p>  <p>NH08ZFM</p> <p>Z/P AS 1112.1 CLASS 8</p>	<p>NEW METRIC HEX NUT</p>  <p>NH10FCM</p> <p>ZFS A1112.1 CLASS 10</p>	<p>METRIC HEX NUT</p>  <p>NH10PCM</p> <p>PLN AS 1112.1 CLASS 10</p>
<p>METRIC FINE HEX NUT</p>  <p>NH10PFM</p> <p>PLN AS 1112.1 CLASS 10</p>	<p>METRIC HEX NUT</p>  <p>NH10ZCM</p> <p>Z/P AS 1112.1 CLASS 10</p>	<p>METRIC FINE HEX NUT</p>  <p>NH10ZFM</p> <p>Z/P AS 1112.1 CLASS 10</p>	<p>UNC HEX NUT</p>  <p>NHG5PC</p> <p>PLN AS 2465 GRADE 5</p>	<p>UNF HEX NUT</p>  <p>NHG5PF</p> <p>PLN AS 2465 GRADE 5</p>	<p>UNC HEX NUT</p>  <p>NHG5ZC</p> <p>Z/P AS 2465 GRADE 5</p>	<p>UNF HEX NUT</p>  <p>NHG5ZF</p> <p>Z/P AS 2465 GRADE 5</p>
<p>UNC HEX NUT</p>  <p>NHG8FC</p> <p>ZFS AS 2465 GRADE 8</p>	<p>UNC HEX NUT</p>  <p>NHG8PC</p> <p>PLN AS 2465 GRADE 8</p>	<p>UNF HEX NUT</p>  <p>NHG8PF</p> <p>PLN AS 2465 GRADE 8</p>	<p>UNC HEX NUT</p>  <p>NHG8ZC</p> <p>Z/P AS 2465 GRADE 8</p>	<p>UNF HEX NUT</p>  <p>NHG8ZF</p> <p>Z/P AS 2465 GRADE 8</p>	<p>METRIC THIN HEX LOCK NUT</p>  <p>NL08GCM</p> <p>HDG AS1112.4 USE WITH CLASS 8</p>	<p>METRIC THIN HEX LOCK NUT</p>  <p>NL08ZCM</p> <p>Z/P AS1112.4 USE WITH CLASS 8</p>



<p>METRIC HEX NUT NYLOC</p>  <p>NN08GCM</p> <p>MGAL DIN 985 CLASS 8</p>	<p>METRIC HEX NUT NYLOC</p>  <p>NN08YCM</p> <p>ZYP DIN 985 CLASS 8</p>	<p>METRIC FINE HEX NUT NYLOC</p>  <p>NN08YFM</p> <p>ZYP DIN 985 CLASS 8</p>	<p>METRIC HEX NUT NYLOC</p>  <p>NN08ZCM</p> <p>Z/P DIN 985 CLASS 8</p>	<p>METRIC FINE HEX NUT NYLOC</p>  <p>NN08ZFM</p> <p>Z/P DIN 985 CLASS 8</p>	<p>METRIC HEAVY NUT NYLOC</p>  <p>NN08ZHCM</p> <p>Z/P DIN 982 CLASS 8</p>	<p>METRIC HEAVY NUT NYLOC</p>  <p>NN10ZHCM</p> <p>Z/P DIN 982 CLASS 10</p>
<p>METRIC HEAVY NUT NYLOC</p>  <p>NN08Y6CM</p> <p>ZYP DIN 6924 CLASS 8</p>	<p>METRIC HEX NUT NYLOC</p>  <p>NN10YCM</p> <p>ZYP DIN 985 CLASS 10</p>	<p>NYLOC®</p> <p>The special nylon insert prevents loosening caused by vibration.</p> 			<p>METRIC HEX NUT NYLOC</p>  <p>NN10ZCM</p> <p>Z/P DIN 985 CLASS 10</p>	
<p>METRIC FINE NUT NYLOC</p>  <p>NN10ZFM</p> <p>Z/P DIN 985 CLASS 10</p>	<p>UNC HEX NUT NYLOC</p>  <p>NNG5Z</p> <p>Z/P IFI-100 NE GRADE 5</p>	<p>UNF HEX NUT NYLOC</p>  <p>NNG5ZF</p> <p>Z/P IFI-100 NE GRADE 5</p>	<p>UNC HEX NUT NYLOC</p>  <p>NNG8ZC</p> <p>Z/P IFI-100 NE GRADE 8</p>	<p>UNF HEX NUT NYLOC</p>  <p>NNG8ZF</p> <p>Z/P IFI-100 NE GRADE 8</p>	<p>METRIC CONE LOCK HCL NUT</p>  <p>NC10ZCM</p> <p>Z/P DIN 980 CLASS 10</p>	<p>METRIC FINE CONE LOCK HCL NUT</p>  <p>NC10ZFM</p> <p>Z/P DIN 980 CLASS 10</p>
<p>UNC CONE LOCK HCL NUT</p>  <p>NCGCZ</p> <p>Z/P IFI 100-107 GRADE C</p>	<p>UNF CONE LOCK HCL NUT</p>  <p>NCGCZF</p> <p>Z/P IFI 100-107 GRADE C</p>	<p>NEW HEX FLANGED CONE LOCK NUT</p> <p>SERRATED</p>  <p>NF10Z7SCM</p> <p>Z/P DIN 6927 CLASS 10</p>			<p>Cone Lock</p> <p>Cone lock protects against loosening by adding prevailing torque to the connection.</p> 	<p>STARTER BAR L BOLT</p>  <p>LB88ZCM</p> <p>Z/P HEC CLASS 8.8</p>